To: Nordgren, Judith[Judith_Nordgren@americanchemistry.com]

From: Courtnage, Robert

Sent: Fri 7/14/2017 6:50:35 PM

Subject: RE: Question regarding gaskets

Thank you for this list.

Also, as an FYI, myself and another EPA colleague spoke with a representative of Bergeson and Campbell, PC, (representing Oxy Chem) today after I was contacted by him following a meeting with EPA earlier in the week. He provided some additional discussion on diaphragm manufacture on behalf of Oxy Chem. We thanked him for this and also said we are interested in knowing what the differences were (even if minor and in compliance with regulatory requirements) for the asbestos handling practices at the plants we didn't visit.

Thanks and have a great weekend.

Robert T. Courtnage

Associate Chief

Fibers and Organics Branch

National Program Chemicals Division

Office of Pollution Prevention and Toxics/OCSPP

U.S. Environmental Protection Agency

202.566.1081 (Desk)

202.740.2993 (Mobile)

From: Nordgren, Judith [mailto:Judith_Nordgren@americanchemistry.com]

Sent: Friday, July 14, 2017 2:35 PM

To: Courtnage, Robert < Courtnage.Robert@EPA.GOV>

Subject: RE: Question regarding gaskets

Dear Robert,
I hope you're doing well. Please find attached site locations using chrysotile asbestos diaphragm technology in their manufacturing process. Let me know if you have any questions. I'm currently on business travel but will be back in the office Monday morning.
All the best,
Judith
Judith Drew Nordgren American Chemistry Council
Managing Director Chlorine Chemistry Division
700 2 nd Street NE Washington DC 20002
O 202.249.6709
www.americanchemistry.com/chlorine
From: Courtnage, Robert [mailto:Courtnage.Robert@EPA.GOV] Sent: Tuesday, July 11, 2017 8:11 AM To: Nordgren, Judith Subject: RE: Question regarding gaskets
Thanks Judith for getting that info for us. Yes, I was aware of Axial's affiliation with Westlake and that they are not an ACC member.
Best,
-Robert

From: Nordgren, Judith [mailto:Judith Nordgren@americanchemistry.com]

Sent: Tuesday, July 11, 2017 7:38 AM

To: Courtnage, Robert < Courtnage.Robert@EPA.GOV >

Subject: RE: Question regarding gaskets

I don't have that readily at my disposal but well get it from my members. Just so you know, Axial is now owned by Westlake Chemical; I believe they acquired that company a couple of years ago. They are not American Chemistry Council or Chlorine Chemistry Division members.

Thanks,

Judith

Judith Drew Nordgren | American Chemistry Council

Managing Director Chlorine Chemistry Division

700 2nd Street NE Washington DC 20002

O | 202.249.6709

www.americanchemistry.com/chlorine

From: Courtnage, Robert [mailto:Courtnage.Robert@EPA.GOV]

Sent: Tuesday, July 11, 2017 7:29 AM

To: Nordgren, Judith

Subject: Re: Question regarding gaskets

Thanks for the update. Did you by chance already supply the name and addresses of member plants that currently use asbestos diaphragms? If not, is that something relatively easy to come by? I believe there were 14, not including the Axial plant.

Best-

Robert T. Courtnage

Associate Chief

Fibers and Organics Branch

National Program Chemicals Division

Office of Pollution Prevention and Toxics

202.566.1081

Sent by my iPhone

On Jul 11, 2017, at 7:15 AM, Nordgren, Judith < <u>Judith_Nordgren@americanchemistry.com</u>> wrote:

Dear Robert,

I hope y'all had a wonderful Independence Day and backyard events.

I've heard back from Chemours regarding your questions. They are reaching out to their supplier for more information, so please stand by. The holiday has prolonged closing this loop but they are working on it.

I hope to have a response for you by the end of the week or early next week. And let me know if you would like me to make the appropriate introductions.

All the best,

Judith

Judith Drew Nordgren | American Chemistry Council Managing Director Chlorine Chemistry Division 700 2nd Street NE Washington DC 20002 O | 202.249.6709 www.americanchemistry.com/chlorine ----Original Message----

From: Courtnage, Robert [mailto:Courtnage.Robert@EPA.GOV]

Sent: Friday, June 30, 2017 8:30 AM

To: Nordgren, Judith

Subject: RE: Question regarding gaskets

Hi Judith- My family and I are looking forward to hosting several families for a nice backyard event. I hope you enjoy the holiday as well.

As far gaskets, we do mention them in the scope. See page 23.

Sheet Gaskets

During the public comment period, one chemical production company notified EPA of the current use of imported gaskets from China (Comment ID EPA-HQ-OPPT-2016-0736-0067).

These sheet gaskets are composed of 80% (minimum) chrysotile asbestos, encapsulated in Styrene Butadiene Rubber, and used to create tight chemical containment seals during the production of titanium dioxide.

I will definitely take you up on the offer for more info, one initial question I have is if there is any additional fabrication of the sheet gaskets in the United States, meaning does Chemours, or someone else in the supply chain, further fabricate the gaskets from a sheet that it receives from China, or are the products they use already fabricated and the gasket directly installed without further fabrication?

Best,

-Robert

Robert T. Courtnage
Associate Chief
Fibers and Organics Branch
National Program Chemicals Division
Office of Pollution Prevention and Toxics/OCSPP U.S. Environmental Protection Agency
202.566.1081 (Desk)
202.740.2993 (Mobile)

----Original Message----

From: Nordgren, Judith [mailto:Judith Nordgren@americanchemistry.com]

Sent: Thursday, June 29, 2017 4:58 PM

To: Courtnage, Robert < Courtnage.Robert@EPA.GOV >

Subject: Question regarding gaskets

Dear Robert,

I hope you're doing well and preparing for a long Independence Day weekend. Unfortunately, by the time I learned we have both Monday and Tuesday off the airfare to Louisiana was cost-prohibitive.

Question, Chemours, a Chlorine Chemistry Division's Associate Member, submitted comments to the docket addressing gaskets containing chrysotile asbestos. Chemours uses such gaskets for their high-temperature performance qualities.

The June 22 Scope of the Risk Evaluation for Asbestos did not include any gasket reference information. Is that product category part of your portfolio and if so, do you or your team need additional information? I'd be happy to facilitate introductions, meetings and/or fill any information/data gaps. Just let me know.

Thanks a million,

Judith

Judith Drew Nordgren | American Chemistry Council Managing Director Chlorine Chemistry Division
700 2nd Street NE Washington DC 20002
O | 202.249.6709
www.americanchemistry.com/chlorine

++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++
++++++++++++++++++++++++++++++++++++++

information and is intended only for the individual named. If you are not the named addressee do not disseminate, distribute or copy this email. Please notify the sender immediately by email if you have received this email by mistake and delete this email from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of email transmission. American Chemistry Council, 700 – 2nd Street NE, Washington, DC 20002, www.americanchemistry.com